

FIG. 1




FIG. 2

```
<|ELEMENT channel (item+ | refreshRate | helpUrl? | cookieDomain? |
cookieName?)>
<|ELEMENT item (link | expires | hitCountUrl? | throughput? | trackWithCookie?
)*>
```

The following is an example XML group file:

```
<|?xml version="1.0" ?>
<channel>
  <item>
    <link>http://myserver/myfile.wmv</link>
    <expires>2002-22-03T00:17:15z</expires>
    <hitCountUrl>http://hitserver/hiturl</hitCountUrl>
    <throughput>75</throughput>
    <trackWithCookie/>
  </item>
  <refreshRate>60</refreshRate>
  <helpUrl>http://myserver/help.html</helpURL>
  <cookieName>adAssets</cookieName>
  <cookieDomain>.go.com</cookieDomain>
</channel>
```

FIG. 3

Internal Class Name	COM/ActiveX Class Name
CCacheAsset	CDisCacheAsset
CCacheGroup	CDisCacheGroup
CCacheReference	CCisCacheReference

FIG. 4

Error Type	Retry Attempted	Timeout Before Retry
Invalid item URL	no	N/A
Server Connection	yes	5 minutes
Server not found	yes	5 minutes
File not on server	yes	15 minutes
Unknown server error	yes	15 minutes
Internal Error	yes	1 hour

FIG. 5

Error Type	Retry Attempted	Timeout Before Retry
Invalid item URL	no	N/A
Server Connection	yes	5 minutes
Server not found	yes	1 hour
File not on server	yes	1 hour
Unknown server error	yes	15 minutes
Internal Error	yes	1 hour

FIG. 6

Asset List




FIG. 7

Asset List {Attribute 1; Attribute 2;...;Attribute N}




FIG. 8